



# Safety Data Sheet

## 1. PRODUCT AND COMPANY IDENTIFICATION

### 1.1. Identification of the substance or mixture

**Product name** : Healthy Ponds® Rush®  
**Other identifiers** : Item # 50002 and 51130  
**Molecular Weight** : 314.06 g/mol

### 1.2. Use of the Substance/Mixture

**Recommended use** : - Bleaching agent  
- Cleaning agent  
- Oxidizing agents

### 1.3. Company/Undertaking Identification

**Address** : BIOVERSE, INC.  
1527 Prairie Drive, Suite 3  
Worthington, MN 56187  
USA

### 1.4. Emergency and contact telephone numbers

**Emergency telephone number** : 1 (800) 424-9300 CHEMTREC® (USA & Canada)  
01-800-00-214-00 (MEX. REPUBLIC)

**Contact telephone number** : US: 877-948-0303 (Product information)

## 2. HAZARDS IDENTIFICATION

### 2.1. Emergency Overview:

NFPA : H= 2 F= 0 I= 1 S= OX  
HMIS : H= 2 F= 0 R= 1 PPE = Supplied by User; dependent on local conditions

#### *General Information*

**Appearance** : powder  
**Color** : white  
**Odor** : odorless

#### *Main effects*

- Oxidizing
- Contact with combustible material may cause fire.
- Harmful if swallowed.
- Risk of serious damage to eyes.

### 2.2. Potential Health Effects:

#### *Inhalation*

#### *Eye contact*

- Severe eye irritation
- Risk of serious damage to eyes.
- Symptoms: Redness, Lachrymation, Swelling of tissue.

#### *Skin contact*

- Prolonged skin contact may cause skin irritation.

**Ingestion**

- Severe irritation
- Symptoms: Nausea, Abdominal pain, Vomiting, Diarrhea.

**Other toxicity effects**

- See section 11: Toxicological Information

**2.3. Environmental Effects:**

- See section 12: Ecological Information

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Sodium carbonate peroxyhydrate**

CAS-No. : 15630-89-4  
Concentration : > 85.0 %

**Sodium carbonate**

CAS-No. : 497-19-8  
Concentration : appr. 13.0 %

**Sodium silicate SiO<sub>2</sub>/Na<sub>2</sub>O**

CAS-No. : 1344-09-8  
Concentration : appr. 1.5 %

**4. FIRST AID MEASURES**

**4.1. Inhalation**

- Move to fresh air.
- If symptoms persist, call a physician.

**4.2. Eye contact**

- Call a physician or poison control center immediately.
- In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- In the case of difficulty of opening the lids, administer an analgesic eye wash (oxybuprocaine).

**4.3. Skin contact**

- Remove and wash contaminated clothing before re-use.
- Wash off with plenty of water.
- If symptoms persist, call a physician.

**4.4. Ingestion**

- Rinse mouth with water.
- Do NOT induce vomiting.
- If accidentally swallowed obtain immediate medical attention.
- Oxygen or artificial respiration if needed.

**If victim is conscious**

- If swallowed, rinse mouth with water (only if the person is conscious).
- Do NOT induce vomiting.

**If victim is unconscious but breathing:**

- Artificial respiration and/or oxygen may be necessary.

**5. FIREFIGHTING MEASURES**

**5.1. Suitable extinguishing media**

- Water

-

#### **55.5.2. Extinguishing media which shall not be used for safety reasons**

- None.

#### **5.3. Special exposure hazards in a fire**

- Oxidizing
- Oxygen released in thermal decomposition may support combustion
- Contact with combustible material may cause fire.
- Contact with flammables may cause fire or explosions.
- Risk of explosion if heated under confinement.

#### **5.4. Hazardous decomposition products**

- Oxygen

#### **5.5. Special protective equipment for firefighters**

- In the event of fire, wear self-contained breathing apparatus.
- Use personal protective equipment.
- Cool containers / tanks with water spray.

#### **5.6. Other information**

- Keep product and empty container away from heat and sources of ignition.

## **6. ACCIDENTAL RELEASE MEASURES**

### **6.1. Personal precautions, protective equipment and emergency procedures**

#### **6.1.1. Advice for non-emergency personnel**

- Keep away from Incompatible products.

#### **6.1.2. Advice for emergency responders**

- Sweep up to prevent slipping hazard.

### **6.2. Environmental precautions**

- Should not be released into the environment.
- Limited quantity
- Flush into sewer with plenty of water.
- Large quantities:
- If the product contaminates rivers and lakes or drains inform respective authorities.

### **6.3. Methods and materials for containment and cleaning up**

- Sweep up and shovel into suitable containers for disposal.
- Do not mix waste streams during collection.
- Avoid dust formation.
- Treat recovered material as described in the section "Disposal considerations".
- All receiving equipment should be clean, vented, dry, labelled and made of material that is compatible
- Never return spills in original containers for re-use.

## **7. HANDLING AND STORAGE**

### 7.1. Handling

- Avoid dust formation.
- Ensure adequate ventilation.
- Keep away from heat and sources of ignition.
- Keep away from Incompatible products.
- Use only clean and dry utensils.
- Never return unused material to storage receptacle.
- Keep away from water.

### 7.2. Storage

- Keep in a dry place.
- Keep in a cool, well-ventilated place.
- Keep away from direct sunlight.
- Keep away from heat.
- Keep away from Incompatible products.
- The container must be used exclusively for the product.
- Keep in container fitted with safety valve or vent.
- Keep only in the original container.
- Store in a receptacle equipped with a vent.

### 7.3. Packaging material

- Stainless steel
- Polyethylene
- Paper + PE coating.

### 7.4. Other information

- Avoid dust formation.
- Refer to protective measures listed in sections 7 and 8.
- In industrial installations, apply the rules for the prevention of major accidents (consult an expert).
- Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
- To avoid thermal decomposition, do not overheat.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Exposure Limit Values

#### **Sodium carbonate peroxyhydrate**

- SAEL (Solvay Acceptable Exposure Limit) 2006  
TWA = 5 mg/m<sup>3</sup>
- US. ACGIH Threshold Limit Values  
Remarks: none established

#### **Sodium carbonate**

- SAEL (Solvay Acceptable Exposure Limit) 2007  
TWA = 10 mg/m<sup>3</sup>
- US. ACGIH Threshold Limit Values  
Remarks: none established

#### **Particles not otherwise specified (PNOS)**

- US. ACGIH Threshold Limit Values 2007  
time weighted average = 3 mg/m<sup>3</sup>  
Remarks: as respirable particles
- US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) 02 2006 02 2006  
Permissible exposure limit = 5 mg/m<sup>3</sup>  
Remarks: respirable dust fraction, all inert or nuisance dusts, whether mineral, inorganic, or organic, not listed specifically by substance name are covered by the Particulates Not Otherwise Regulated (PNOR) limit which is the same as the inert or nuisance dust limit of Table Z-3.
- US. ACGIH Threshold Limit Values 2010  
time weighted average = 10 mg/m<sup>3</sup>

- Permissible exposure limit = 15 mg/m<sup>3</sup>  
 Remarks: Total dust, All inert or nuisance dusts, whether mineral, inorganic, or organic, not listed specifically by substance name are covered by the Particulates Not Otherwise Regulated (PNOR) limit which is the same as the inert or nuisance dust limit of Table Z-3.
- US. OSHA Table Z-3 (29 CFR 1910.1000) 2000  
 time weighted average = 15 millions of particles per cubic foot of air  
 Remarks: respirable dust fraction
  - US. OSHA Table Z-3 (29 CFR 1910.1000) 2000  
 time weighted average = 50 millions of particles per cubic foot of air  
 Remarks: Total dust
  - US. OSHA Table Z-3 (29 CFR 1910.1000) 2000  
 time
  - - US. OSHA Table Z-3 (29 CFR 1910.1000)2000  
 time weighted average = 5 mg/m<sup>3</sup>  
 Remarks: respirable dust fraction
  - US. OSHA Table Z-3 (29 CFR 1910.1000) 2000  
 time weighted average = 15 mg/m<sup>3</sup>  
 Remarks: Total dust
  - US. OSHA Table Z-1-A (29 CFR 1910.1000) 1989  
 time weighted average = 5 mg/m<sup>3</sup>  
 Remarks: respirable dust fraction
  - US. OSHA Table Z-1-A (29 CFR 1910.1000) 1989  
 time weighted average = 15 mg/m<sup>3</sup>  
 Remarks: Total dust

ACGIH® and TLV® are registered trademarks of the American Conference of Governmental Industrial Hygienists.  
 SAEL = Solvay Acceptable Exposure Limit, Time Weighted Average for 8 hour workdays. No Specific TLV STEL (Short Term Exposure Level) has been set. Excursions in exposure level may exceed 3 times the TLV TWA for no more than a total of 30 minutes during an workday and under no circumstances should they exceed 5 times the TLV TWA.

## 8.2. Engineering controls

- Avoid dust formation.
- Provide appropriate exhaust ventilation at places where dust is formed.
- Apply technical measures to comply with the occupational exposure limits.

## 8.3. Personal protective equipment

### 8.3.1. Respiratory protection

- Use only respiratory protection that conforms to international/ national standards.
- Use NIOSH approved respiratory protection.
- Respirator with a dust filter

### 8.3.2. Hand protection

- Wear suitable gloves.
- Non-recommended materials: Leather, cotton
- Suitable material: PVC, Neoprene, Natural Rubber

### 8.3.3. Eye protection

- Chemical resistant goggles must be worn.

### 8.3.4. Skin and body protection

- Protective suit

### 8.3.5. Hygiene measures

- Use only in an area equipped with a safety shower.
- Eye wash bottle with pure water
- Handle in accordance with good industrial hygiene and safety practice for diagnostics

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. General Information

<b>Appearance</b>	: powder
<b>Color</b>	: white
<b>Odor</b>	: odorless

### 9.2. Im9.2. Important health safety and environmental information

<b>pH</b>	: from 10.4 - 10.6 <i>Concentration: 10.1 g/l</i>
<b>Boiling point/boiling range</b>	: <i>Remarks: not applicable</i>
<b>Flash point</b>	: <i>Remarks: not applicable</i>
<b>Flammability</b>	: <i>Remarks: The product is not flammable.</i>
<b>Explosive properties</b>	: <u><i>Explosion danger:</i></u> <i>Remarks: Not explosive</i>
<b>Oxidizing properties</b>	: <i>Remarks: oxidizing</i>
<b>Vapor pressure</b>	: <i>Remarks: not applicable</i>
<b>Relative density / Density</b>	: <i>Remarks: no data available</i>
<b>Bulk density</b>	: 950 - 1,200 kg/m <sup>3</sup>
<b>Solubility(ies)</b>	: Water 150 g/l <i>Temperature: 20 °C ( 68 °</i>
<b>Partition coefficient: n-octanol/water</b>	: <i>Remarks: not applicable</i>
<b>Viscosity</b>	: <i>Remarks: not applicable</i>
<b>Vapor density</b>	: <i>Remarks: not applicable</i>

### 9.3. Other data

<b>Decomposition temperature</b>	: <i>Remarks: Self-Accelerating decomposition temperature (SADT)</i> : > 55 °C ( 131 °F ) <i>Remarks: 50 kg</i>
----------------------------------	--

#### 10.1. Stability

- Potential for exothermic hazard
- Stable under recommended storage conditions.

#### 10.2. Conditions to avoid

- Exposure to moisture.
- To avoid thermal decomposition, do not overheat.
- Keep at temperature not exceeding: 55 °C ( 131 °F )

#### 10.3. Materials to avoid

- Water, Acids, Bases, Heavy metal salts, Reducing agents, Organic materials, Flammable materials, Combustible material

#### 10.4. Hazardous decomposition products

- Oxygen

#### 10.4.

### 1111. TOXICOLOGICAL INFORMATION

#### Toxicological data

##### ***Acute oral toxicity***

- LD50, rat, 1,034 mg/kg

##### ***Acute inhalation toxicity***

- LC0, 1 h, rat, > 4,580 mg/m<sup>3</sup>

##### ***Acute dermal irritation/corrosion***

- LD 10, rabbit, > 2,000 mg/kg

##### ***Skin irritation***

- rabbit, slight irritation

##### ***Eye irritation***

- rabbit, Risk of serious damage to eyes.

##### ***Chronic toxicity***

- no data available

##### ***Remarks***

- Harmful if swallowed.
- Risk of serious damage to eyes.
- Irritating to respiratory system and skin.
- Risk of serious damage to eyes.
- Irritating to skin and mucous membranes

**te toxicity**

- Fishes, Pimephales promelas, LC50, 71 mg/l
- Fishes, Pimephales promelas, NOEC, 96 h, 7.4 mg/l
- Crustaceans, Daphnia pulex, EC50, 4.9 mg/l
- Crustaceans, Daphnia pulex, NOEC, 48 h, 2 mg/l

**12.2. Mobility**

- Air
- Air  
Remarks: not applicable
- Water  
Remarks: considerable solubility and mobility

Soil/sediments

Remarks: non-significant absorption

**12.3. Persistence and degradability**

***Abiotic degradation***

- Result: not applicable
- Water/soil  
Result: significant hydrolysis

***Biodegradation***

- Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

**12.4. Bioaccumulative potential**

- Remarks: not applicable

**12.5. Other adverse effects**

- no data available

**12.6. Remarks**

- Hazard for the environment is limited due to product properties:
- Weak persistence of degradation products.
- Does not bioaccumulate.

**13. DISPOSAL CONSIDERATIONS**

**13.1. Waste from residues / unused products**

- Dilute with plenty of water.
- Dispose of wastes in an approved waste disposal facility.
- Can be landfilled, when in compliance with local regulations.
- In accordance with local and national regulations.

**13.2. Packaging treatment**

- Clean container with water.
- Empty containers should be taken to an approved waste handling site for recycling or disposal.
- Unclean empty packaging
- Dispose of as unused product.
- In accordance with local and national regulations.

**13.3. RCRA Hazardous Waste**

- Listed RCRA Hazardous Waste (40 CFR 302) - No
- Unlisted RCRA Hazardous Waste (40 CFR 302) - Yes
- D001 (ignitable waste)

**14. TRANSPORT INFORMATION**

IATA-DGR



UN number UN 3378  
Class 5.1  
Packing group III  
ICAO-Labels 5.1 - Oxidizing substances  
Proper shipping name: SODIUM CARBONATE PEROXYHYDRATE

**IMDG**

UN number UN 3378  
Class 5.1  
Packing group III  
IMDG-Labels 5.1 - Oxidizing substances  
EmS F-A  
S-Q  
Proper shipping name: SODIUM CARBONATE PEROXYHYDRATE

**U.S. Dept of Transportation**

UN number UN 3378  
Class 5.1  
Packing group III  
Label 5.1 - Oxidizing substances  
Proper shipping name: SODIUM CARBONATE PEROXYHYDRATE

**Canada (TDG)**

UN number UN 3378  
Class 5.1  
Packing group III  
Label 5.1 - Oxidizing substances  
Proper shipping name: SODIUM CARBONATE PEROXYHYDRATE

ng group  
Label



5.1 Oxidizing substances

## 15. REGULATORY INFORMATION

### Ratings :

#### **NFPA (National Fire Protection Association)**

Health = 2 Flammability = 0 Instability = 1 Special =OX

#### **HMIS (Hazardous Material Information System)**

Health = 2 Fire = 0 Reactivity = 1 PPE : Supplied by User; dependent on local conditions

## 16. ADDITIONAL INFORMATION

**SDS Creation Date:** 03/25/2015

**SDS Review Date:** 03/25/2015

The information contained in this Safety Data Sheet, as of the issue date, is believed to be true and correct. Accuracy or completeness of this information and any recommendations or suggestions are made without warranty or guarantee. Since the conditions of use are beyond the control of the company, it is the responsibility of the user to determine the conditions of safe use of this product. This information does not represent analytical specifications.